



Reg. No. :

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Question Paper Code : 27335

B.E./B.Tech. DEGREE EXAMINATION, NOVEMBER/DECEMBER 2015.

Fourth Semester

Civil Engineering

MA 6459 — NUMERICAL METHODS

(Common to Aeronautical Engineering, Electrical and Electronics Engineering, Instrumentation and Control Engineering, Electronics and Instrumentation Engineering, Instrumentation and Control Engineering, Geoinformatics Engineering, Petrochemical Engineering, Production Engineering, Chemical and Electrochemical Engineering, Textile Chemistry and Textile Technology)

(Regulations 2013)

Time : Three hours

Maximum : 100 marks

Answer ALL questions.

PART A — (10 × 2 = 20 marks)

1. What is the criterion for the convergence of Newton-Raphson method?
2. Give two direct methods to solve a system of linear equations.
3. For cubic splines, what are the 4n conditions required to evaluate the unknowns.
4. Construct the divided difference table for the data (0, 1), (1, 4), (3, 40) and (4, 85).
5. Apply two point Gaussian quadrature formula to evaluate $\int_0^2 e^{-x^2} dx$.
6. Under what condition Simpson's $\frac{3}{8}$ rule can be applied and state the formula.
7. Using Euler's method, find $y(0.1)$ given that $\frac{dy}{dx} = x + y$, $y(0) = 1$.





8. State Adam's Predictor-Corrector formulae.
9. What is the central difference approximation for y'' ?
10. Write down the difference scheme for solving the equation $y_{tt} = \alpha^2 y_{xx}$.

PART B — (5 × 16 = 80 marks)

11. (a) (i) Find the largest eigenvalue and the corresponding eigenvector of a matrix $\begin{pmatrix} 1 & 6 & 1 \\ 1 & 2 & 0 \\ 0 & 0 & 3 \end{pmatrix}$. (8)

- (ii) Using Gauss Jordan method find the inverse of a matrix $\begin{pmatrix} 4 & 1 & 2 \\ 2 & 3 & -1 \\ 1 & -2 & 2 \end{pmatrix}$. (8)

Or

- (b) (i) Apply Gauss-Seidal method to solve the equations (8)

$$\begin{aligned} 28x + 4y - z &= 32 \\ x + 3y + 10z &= 24 \\ 2x + 17y + 4z &= 35. \end{aligned}$$

- (ii) Find the root of $4x - e^x = 0$ that lies between 2 and 3 by Newton-Raphson method. (8)

12. (a) (i) Using Lagrange's interpolation formula calculate the profit in the year 2000 from the following data : (8)

Year:	1997	1999	2001	2002
Profit in lakhs of Rs. :	43	65	159	248

- (ii) Using Newton's forward interpolation formula, find the cubic polynomial which takes the following values : (8)

$x:$	0	1	2	3
$y:$	1	2	1	10

Or



- (b) Solve the elliptic equation $u_{xx} + u_{yy} = 0$ for the following square mesh with boundary values as shown. (16)

	0	500	1000	500	0
1000	u_1	u_2	u_3		1000
2000	u_4	u_5	u_6		2000
1000	u_7	u_8	u_9		1000
	0	500	1000	500	0

